



In Ground Pool Liner Measurement Form
for Pool Liner Replacement and New Installations


Following is a generic vinyl liner measurement form used for swimming pool liner replacement and new installations. Fill out as much information as possible to ensure getting the perfect fitting pool liner for your pool.

If you have any questions please do not hesitate to call and we'll walk you through this process. It is not too difficult and will usually take two people about 30 minutes to complete. Don't worry, if there is any missing information or if the information doesn't "plot" correctly with the manufacturer they will advise of the need of any possible corrections.

Prior to manufacturing the liner the manufacturer will also provide a plotted drawing of the liner with all dimensions for verification. We do not have liners manufactured without an approved dimensional drawing of any inground or on ground swimming pool liner.


Inground and [On Ground Swimming Pool Liner Patterns](#) to choose from. We have access to virtually all of the liner patterns on the market. If you have a specific pattern which isn't on our site, just let us know the manufacturer and pattern name and we'll get it for you.

By the submission of this order, the below named corporation and individual hereby authorize HYDRA POOLS to manufacture as a special order, a vinyl liner for an inground pool in accordance with the design and specifications which have been provided here within, and hereby acknowledge that HYDRA POOLS has not participated in either the design or formation of this liner and accepts full responsibility for the same, and further agrees to hold HYDRA POOLS harmless, that is, the below named corporation will pay in full or for any and all claims and expenses that may arise out of the design or use of this special liner.




RECTANGLE
 Do you have Radius Hopper Corners?


FRONT _____ IN
 HOPPER RAD.
 BACK _____ IN
 HOPPER RAD.




GRECIAN
 Hopper Shape
 Contour
 Square



OVAL
 Hopper Shape
 Contour
 Square




ROMAN END DBL SGL




BOWED END

SELECT POOL CORNER TYPE


SQUARE



RADIUS



DIAGONAL



Company: _____

Address: _____

CITY _____ STATE _____ ZIP _____

Phone: () _____

Ordered By: _____

PO # _____

Date: _____

SHIPPING INSTRUCTIONS

Company: _____

Address: _____

CITY _____ STATE _____ ZIP _____

Phone: () _____

Mark Box: _____

Ship Via: _____

FINISHED DIMENSIONS

YOU MUST PROVIDE A DIMENSION FOR THE CORRESPONDING LETTER

A	FT	IN	G	FT	IN	J	FT	IN	R	FT	IN
B	FT	IN	H	FT	IN	K	FT	IN	R2	FT	IN
B2	FT	IN	I	FT	IN	L	FT	IN	S	FT	IN
D	FT	IN				M	FT	IN	S2	FT	IN
E	FT	IN				M2	FT	IN	T	FT	IN
F	FT	IN							U	FT	IN
SAFETY LEDGE _____ IN									N	FT	IN
COVE OFFSET _____ IN									P	FT	IN
COVE DEPTH _____ IN											

Is the Pool Bottom 'BOWLED' or 'DISHED' out? _____
 If 'YES', supply additional drawings representing the bottom design.

IMPORTANT!

Total Square Footage: _____

HYDRA DRAWING NUMBER: _____

BEAD



Yes No _____ in. overlap
 Reverse Esther Williams (large bead)

PATTERN

Wall Pattern: _____

Floor Pattern: _____

Vinyl Thickness: 20 Mil 28 Mil 30 Mil



ADDITIONAL INFORMATION ON BACK? Yes No

SOME POOLS ARE NOT BUILT TO MANUFACTURERS SPECS. IT IS IMPORTANT THAT YOU VERIFY THE DIMENSIONS

HYDRA POOLS and its authorized distributors and dealers, as part of the swimming pool industry and members of the Association of Pool and Spa Professionals adopt those standards for the purpose of pool safety to prevent the risk of a consumer or guest from suffering a severe or paralyzing injury or loss of life due to diving into water less than prescribed by modern standards. Such injuries can also occur by sliding head first into shallow water. We will produce the liner according to the dimensions provided only upon the following conditions -

The consumer recognizes that the pool may be of a nonconforming type and:

1. Consumer agrees to permanently remove the diving board if it exists prior to the installation of this liner.
2. Consumer agrees to relocate sliding board if necessary, prior to installation of this liner, to conform to APSP standards.
3. Consumer agrees to defend, indemnify and hold HYDRA POOLS and its distributors and dealers harmless from any claims arising from injuries that may occur from the use of the pool containing this liner.
4. Consumer agrees that in addition to abiding to the conditions above, he will not allow use of the pool by anyone, including guests, which is inconsistent with this warning.

I UNDERSTAND THE ABOVE WARNING AND RECOMMENDATIONS, CERTIFY THAT I WILL ABIDE BY ALL PERTINENT CONDITIONS, AND REQUEST THAT YOU PRODUCE THIS LINER AS ORDERED.

YOU MUST SIGN AND RETURN THIS FORM WITHIN 2 BUSINESS DAYS OR IT WILL NOT BE PROCESSED.

Pool Owner Signature _____

DATE _____

IMPORTANT!

All Pools Are NOT Square!
Diagonal Measurements MUST Be Given ON Lazy-"L" Pools.

TO PREVENT DELAYS, PLEASE FILL OUT BOTH SIDES OF THIS FORM AS ACCURATELY AS POSSIBLE!

SELECT DIRECTION OF POOL

AS VIEWED FROM THE SHALLOW END

LEFT RIGHT (SHOWN)


Hopper Shape

Contour
 Square

Do you have Radius Hopper Corners?

BACK IN FRONT IN
 HOPPER RAD. HOPPER RAD.


LAZY-"L"



SHALLOW END BREAK LINE:



Follows I-Beam Measurements?
 Perpendicular to B Wall?

TRUE-"L"



SELECT "L" REVERSE CORNER TYPE

SQUARE RADIUS DIAGONAL



ADDITIONAL POOL SHAPES


IMPORTANT!

IF YOU HAVE ONE OF THE POOLS BELOW, YOU WILL BE REQUIRED TO FILL OUT A POINT-TO-POINT FORM FOR TRUE ACCURACY UNLESS YOU PROVIDE AN ACCURATE MANUFACTURER DIG SPEC.


- KIDNEY
- OASIS
- MARTINIQUE
- FIGURE-8
- TRUE-OVAL
- FREE FORM
- KEYHOLE
- OTHER _____
- TEE
- ROUND
- HEXAGON
- OCTAGON
- DECAGON
- JEWEL

SELECT POOL CORNER TYPE


SQUARE




RADIUS



DIAGONAL



VINYL STEP




STEP WIDTH _____

SET BACK _____ in.

CIRCLE ONE..... 45° 90°

CORNERS

CIRCLE ONE..... 6"rad. 90° diag. _____



CIRCLE STEP LOCATION & COMPLETE DIMENSIONS

STEP MANUFACTURER: _____

FINISHED DIMENSIONS

YOU MUST PROVIDE A DIMENSION FOR THE CORRESPONDING LETTER

A	FT	IN	D1	FT	IN	G	FT	IN	R	FT	IN
B	FT	IN	D2	FT	IN	H	FT	IN	R2	FT	IN
D	FT	IN	D3	FT	IN	I	FT	IN	S	FT	IN
E	FT	IN	D4	FT	IN	J	FT	IN	T	FT	IN
F	FT	IN	I-Beam	FT	IN	K	FT	IN	U	FT	IN
						L	FT	IN	N	FT	IN
						M	FT	IN	P	FT	IN

SAFETY LEDGE _____ IN
 COVE OFFSET _____ IN
 COVE DEPTH _____ IN

Is the Pool Bottom 'BOWLED' or 'DISHED' out? _____
 If 'YES', supply additional drawings representing the bottom design.

IMPORTANT!

BEAD

Total Square Footage: _____

Yes No _____ inch overlap
 Reverse Esther Williams (large bead)

PATTERN

HYDRA DRAWING NUMBER: _____

Wall Pattern: _____
 Floor Pattern: _____
 Vinyl Thickness: 20 Mil 28 Mil 30 Mil

SPECIAL INSTRUCTIONS / ADDITIONAL INFORMATION

ALWAYS attach any drawings and details that will help us understand your pool.

Pool Owner Signature _____

DATE _____