

Semi-Onground Pool by Doughboy

SIMPLE SHAPES. SIMPLE INSTALLATION. SIMPLE DESIGNS.



SEMI-ONGROUND AND INGROUND MODELS AVAILABLE

52 inches deep

52 inches deep

52 inches deep

52 inches deep

52 inches deep
Corner Options
6" radius or 2' radius

ROUND 15', 18', 21', 24, 28' **0VAL**12' x 24'
15' x 30'
18' x 33'

13' x 22' 16' x 28 18' x 32' GRECIAN
12' x 24'
14' x 28'
16' x 32'
18' x 36'

12' x 24' 14' x 28' 16' x 32' 18' x 36'







Cocoa Brown

- Inground strength that will hold up against outside pressure
- **Impact Resistant Half Panels**
- **UV** Resistant
- **Thermal Conductivity Energy Efficient**

HYDROSPHERE TRIM FEATURES

Standard Top Rail



Optional Deck Mount





R10 Insulation Kit - optional

Lifetime Limited Warranty on Steel Construction Components.

Any failure due to material defects including, but not limited to, rust, corrosion, discoloration, staining, or other changes in physical characteristics of the steel are excluded under this limited warranty. See warranty card for details.

STEPS

Locking Straps and Rubber Gasket

Factory installed and easy to mount vinyl liner material.

Structural Integrity

100% specialty engineered resins and fiberglass. No filler, no additives!

Standard PVC Support System

Standard 2" PVC tubes. The construction of our stairs boasts a massive brace system consisting of 3" x 6" horizontal beams supported by 2 $^{3}/_{8}$ " vertical supports making it one of the strongest and fastest to install in the industry.



6' Straight Step

6' Radius Step

Straight & Radius Steps are available in White, Blue and Gray.

Steps also available with Bullnose or Cantilever finish.



Bullnose



Cantilever

FILTRATION



POWERLINE XP I PUMP

- 1½ HP dual speed
- 1½" hose fitting
- · Thermal protected motor
- · Strainer pot wrench included
- · 6 ft (non UL) cord



POWERLINE XP III PUMP

- 1½ HP, self-priming heavy duty motors
- · 11/2" hose fitting
- · Thermal protected motor
- · Self-contained pump base
- · Can be converted from 115V to 220V
- · 3 ft (NEC) cord with twist lock plug



24" SAND FILTER

- 24" tank
- · 7 position valve
- 1½" valve
- · Sand capacity 300 lbs.

LINER

Special 100% virgin-vinyl formula that resists chemicals and ultraviolet rays.

Therma-Seal[™] **Technology** – sealing technique that provides durability and supreme quality. We are so confident with this process that we cover our liner seams with a 100% lifetime warranty.

Dynasty and Evening Star only available for rounds and ovals including deep end options. Inground liner patterns available upon request.



Dynasty - 20 mil



Evening Star - 20 mil



ACCESSORIES

CLASSIC DELUXE THRU-WALL SKIMMER

Designed for Hydrosphere Semi-Onground

- Industry exclusive, U-joint skimmer gasket provides extra protection against leaks
- Large skimmer opening allows maximum water flow for more efficient skimming
- Tough, corrosion-resistant, large capacity leaf basket extends times between cleaning
- Vacuum hook-up allows for easy, convenient vacuuming and pool maintenance
- Safe, self-sealing vacuum port closure covers vacuum port when pool is in use



INGROUND SKIMMER

Designed for Hydrosphere Inground

- · 2" socket x 2.5" spigot
- One piece ABS body
- · All stainless steel hardware
- · Includes collar extension





WINTER COVER - BEADED & CUSTOM FIT

Want to make spring clean up easier? Be sure to purchase a custom fitted winter cover that comes with a 7-Year Warranty!



MULTI-COLOR LED LIGHT

Turn your backyard into a resort at night by adding a multi-colored LED light!



SAFETY PACKET

Every Hydrosphere pool ships with a Safety Packet! Reading the "safety literature" is vital for the safety of your family. We insist that you read each and every piece of literature that is normally enclosed in your pool liner package. You should find several important items with which you must become familiar.



IMPORTANT: The "No Diving" and other Warning signage provided must be installed on each pool as indicated in the instructions provided.

NOTE: In some photos of the pools in the brochure (or web site), the "No Diving" and other Warning signage may not be visible, such Warning Signage must be installed as indicated in the instructions provided.

Hollowell Industries, Inc. stands behind every product we produce pursuant to those representations which are stated in our written warranties. Your dealer/builder/installer/contractor is an independent business and not an agent/representative or employee of Hollowell Industries, Inc. We cannot and do not accept any responsibility for any representations, statements or contracts made by any dealer/builder/installer or contractor.

